

POPULATION ESTIMATES				CANCER INCIDENCE			LOCAL PUBLIC HEALTH		
Total 1998 Population Est 9,350				(Cancer incidence is for 1997)			Per		
Percent Female 49.6							Activities Reported Number 10,000		
Population per square mile 9				Primary Site Number			Public Health Nursing		
Rank in state 71				Breast 8			Total clients 206 221		
( 1=highest population density,				Cervical 1			Total visits 226 242		
72=lowest population density.)				Colorectal 8			Visits: Reason for		
				Lung, Trachea, & Bronchus 9			Gen hlth promotion 64 69		
				Prostate 6			Infant/child hlth 19 20		
				Other sites 19			Infectious & parasitic . .		
				Total 51			Circulatory 18 19		
							Prenatal 51 55		
							Postpartum 15 16		
				----- LONG-TERM CARE -----			WIC Participants 662 708		
				Community Options and MA Waiver Programs			Clinic Visits 3,496 3,750		
				# Clients Costs			Immunization 2,742 2,941		
				COP 46 \$70,064			Blood pressure 645 692		
				MA Waivers *			Environmental Contacts		
				CIP1A 4 \$174,523			Env hazards 5 5		
				CIP1B 39 \$635,760			Public health nuisance 72 77		
				CIP2 14 \$185,090			School Health		
				COP-W 29 \$194,969			Vision screenings 112 120		
				CSLA 1 \$6,889			Hearing screenings 105 113		
				Brain Inj 0 \$0			Health Education		
				Total COP/Wvrs 95 \$1,267,295			Community sessions 17 18		
							Community attendance 264 283		
							School sessions 16 17		
							School attendance 344 369		
							Staffing - FTEs		
							Total staff 5 5.7		
							Administrators 1 1.1		
							Public health nurses . .		
							Public health aides 1 1.1		
							Environmental specialists . .		
							LOCAL PUBLIC HEALTH FUNDING		
							Per		
							Amount Capita		
							Total funding \$243,484 \$26.12		
							Local taxes \$115,498 \$12.39		

## ----- NATALITY -----

TOTAL LIVE BIRTHS			93	<u>Birth Order</u>		<u>Births</u>	<u>Percent</u>	<u>Marital Status of Mother</u>			<u>Births</u>	<u>Percent</u>	
Crude Live Birth Rate			9.9	First		39	42	Married			52	56	
General Fertility Rate			52.6	Second		25	27	Not married			41	44	
				Third		15	16	Unknown			0	0	
				Fourth or higher		14	15						
Live births with reported congenital anomalies			1 . %	Unknown		0	0						
				<u>First Prenatal Visit</u>		<u>Births</u>	<u>Percent</u>	<u>Education of Mother</u>			<u>Births</u>	<u>Percent</u>	
<u>Delivery Type</u>			<u>Births</u>	<u>Percent</u>	1st trimester		69	74	Elementary or less			0	0
Vaginal after previous cesarean			2	2	2nd trimester		21	23	Some high school			24	26
Forceps			0	0	3rd trimester		2	2	High school			40	43
Other vaginal			71	76	No visits		1	1	Some college			20	22
Primary cesarean			13	14	Unknown		0	0	College graduate			9	10
Repeat cesarean			7	8					Unknown			0	0
Other or unknown			0	0									
					<u>Number of Prenatal Care visits</u>		<u>Births</u>	<u>Percent</u>	<u>Smoking Status of Mother</u>			<u>Births</u>	<u>Percent</u>
<u>Birth Weight</u>			<u>Births</u>	<u>Percent</u>	No visits		1	1	Smoker			22	24
<1,500 gm			2	2.2	1-4 visits		6	6	Nonsmoker			71	76
1,500-2,499 gm			2	2.2	5-9 visits		23	25	Unknown			0	0
2,500+ gm			89	95.7	10-12 visits		35	38					
Unknown			0	0.0	13+ visits		28	30					
					Unknown		0	0					
					<u>Low Birth Weight (under 2,500 gm)</u>		<u>Births</u>	<u>Percent</u>	<u>Trimester of First Prenatal Visit</u>			<u>Births</u>	<u>Percent</u>
					1st Trimester		58	79	2nd Trimester			15	21
					2nd Trimester		*	.	Other/Unknown			*	.
					Other/Unknown		10	53	Births			6	32
					Births		.	.	Percent			3	16
					Percent		.	.	Births			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	.
					Percent		.	.	Percent			.	

\* - Not reported. Age or race category has less than 5 births

## ----- MORBIDITY -----

## REPORTED\* CASES OF SELECTED DISEASES

<u>Disease</u>	<u>Number</u>
Campylobacter Enteritis	0
Giardiasis	0
Hepatitis Type A	0
Hepatitis Type B**	0
Hepatitis NANB/C***	0
Legionnaire's	<5
Lyme	0
Measles	0
Meningitis, Aseptic	0
Meningitis, Bacterial	0
Mumps	0
Pertussis	0
Salmonellosis	<5
Shigellosis	0
Tuberculosis	0

\* 1998 provisional data

\*\* Includes all positive HBsAg test results

\*\*\* Unavailable at time of printing

Sexually Transmitted Disease

Chlamydia Trachomatis	10
Genital Herpes	<5
Gonorrhea	8
Nongonococcal Cervicitis	0
Nongonococcal Urethritis	0
Syphilis	0

## ----- IMMUNIZATIONS -----

Children in Grades K-12 by  
Compliance Level

Compliant	2,075
Non-compliant	65
Percent Compliant	97.0

## ----- MORTALITY -----

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

<b>TOTAL DEATHS</b>	114
Crude Death Rate	1,219

<u>Age</u>	<u>Deaths</u>	<u>Rate</u>
1-4	.	.
5-14	.	.
15-19	1	.
20-34	1	.
35-54	8	.
55-64	17	.
65-74	27	2,926
75-84	28	4,477
85+	31	13,699

Infant

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Infant	1	.
Neonatal	.	.
Postneonatal	1	.
Unknown	.	.

Race of Mother

White	1	.
Black	.	.
Other	.	.
Unknown	.	.

Birth Weight

<1,500 gm	1	.
1,500-2,499 gm	.	.
2,500+ gm	.	.
Unknown	.	.

Perinatal

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Perinatal	.	.
Neonatal	.	.
Fetal	.	.

Selected

<u>Underlying Cause</u>	<u>Deaths</u>	<u>Rate</u>
Heart Disease (total)	37	396
Coronary heart disease	28	299
Cancer (total)	30	321
Lung	7	.
Colorectal	1	.
Female breast	5	.*
Cerebrovascular Disease	7	.
Chron Obstr Pulmonary	4	.
Pneumonia & Influenza	3	.
Injuries	4	.
Motor vehicle	2	.
Diabetes	3	.
Infectious & Parasitic	3	.
Suicide	.	.

\* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING  
OR CONTRIBUTING CAUSE OF DEATH

Alcohol	2	.
Other Drugs	.	.
Both Mentioned	.	.

## ----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

<u>Type of Motor Vehicle Crash</u>	<u>Persons Injured</u>	<u>Persons Killed</u>
Total Crashes	85	4
Alcohol-Related	30	2
With Citation:		
For OWI	15	0
For Speeding	1	0
Motorcyclist	5	0
Bicyclist	1	0
Pedestrian	5	1

## HOSPITALIZATIONS

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Injury-Related: All</b>					
Total	80	8.6	4.0	\$9,483	\$81
<18	10	.	.	.	.
18-44	18	.	.	.	.
45-64	13	.	.	.	.
65+	39	22.0	3.8	\$8,778	\$193
<b>Injury: Hip Fracture</b>					
Total	14	.	.	.	.
65+	12	.	.	.	.
<b>Injury: Poisonings</b>					
Total	2	.	.	.	.
18-44	2	.	.	.	.
<b>Psychiatric</b>					
Total	60	6.4	8.1	\$5,892	\$38
<18	13	.	.	.	.
18-44	23	7.4	5.1	\$3,665	\$27
45-64	12	.	.	.	.
65+	12	.	.	.	.
<b>Coronary Heart Disease</b>					
Total	81	8.7	3.8	\$14,504	\$126
45-64	30	14.9	3.6	\$15,997	\$239
65+	47	26.5	4.1	\$14,324	\$379
<b>Malignant Neoplasms (Cancers): All</b>					
Total	47	5.0	5.0	\$10,985	\$55
18-44	1	.	.	.	.
45-64	18	.	.	.	.
65+	28	15.8	5.1	\$9,765	\$154
<b>Neoplasms: Female Breast (rates for female population)</b>					
Total	6	.	.	.	.
<b>Neoplasms: Colo-rectal</b>					
Total	15	.	.	.	.
65+	11	.	.	.	.
<b>Neoplasms: Lung</b>					
Total	5	.	.	.	.
<b>Diabetes</b>					
Total	18	.	.	.	.
65+	3	.	.	.	.

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Alcohol-Related</b>					
Total	43	4.6	9.1	\$5,204	\$24
18-44	29	9.3	8.4	\$5,109	\$48
45-64	5	.	.	.	.
<b>Pneumonia and Influenza</b>					
Total	41	4.4	5.1	\$8,196	\$36
<18	10	.	.	.	.
45-64	4	.	.	.	.
65+	19	.	.	.	.
<b>Cerebrovascular Disease</b>					
Total	42	4.5	4.2	\$8,111	\$36
45-64	10	.	.	.	.
65+	31	17.5	4.9	\$8,605	\$150
<b>Chronic Obstructive Pulmonary Disease</b>					
Total	24	2.6	3.2	\$5,759	\$15
<18	5	.	.	.	.
18-44	1	.	.	.	.
45-64	6	.	.	.	.
65+	12	.	.	.	.
<b>Drug-Related</b>					
Total	5	.	.	.	.
18-44	3	.	.	.	.
<b>Total Hospitalizations</b>					
Total	1,153	123.3	4.2	\$7,619	\$939
<18	186	76.0	4.0	\$4,712	\$358
18-44	269	86.3	4.0	\$6,013	\$519
45-64	224	111.4	3.8	\$8,738	\$973
65+	474	267.1	4.5	\$9,142	\$2,442

## ----- PREVENTABLE HOSPITALIZATIONS\* -----

Total	184	19.7	3.9	\$6,372	\$125
<18	26	10.6	2.3	\$2,961	\$31
18-44	26	8.3	4.2	\$8,642	\$72
45-64	26	12.9	4.0	\$6,287	\$81
65+	106	59.7	4.3	\$6,673	\$399

\* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 1998 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.